

RPC773Mu01 50µg

Recombinant Ryanodine Receptor 1, Skeletal (RYR1)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residuess: His99~Cys394

Tags: N-terminal His and GST Tag

Tissue Specificity: Membrane

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.4

Predicted Molecular Mass: 63.2kDa

Accurate Molecular Mass: 63kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

HR
TLLYGHAILL RHAHSRMYLS CLTTSRSMTD KLAFDVGLQE DATGEACWWT
MHPASKQRSE GEKVRVGDDL ILVSVSSERY LHLSTASGEL QVDASFMQTL
WNMNPICSGC EEGFVTGGHV LRLFHGHMDE CLTISPSDS DQRRLVYYEG
GPVCTHARSL WRLEPLRISW SGSHLRWGQP LRIRHVTTGR YLGLTEDQGL
VVVDASKAHT KATSF CFRIS KEKLDVAPKR DVEGMGPPEI KYGESLCFVQ
HVASGLWLT Y AAPDPKALRL GVLKKKAMLH QEGHMDDALS LTRC

[IDENTIFICATION]




Figure. SDS-PAGE