

RPE577Mu01 10 μ g

Recombinant Serum/Glucocorticoid Regulated Kinase 3 (SGK3)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residuess: His141~Glu368

Tags: N-terminal His Tag

Tissue Specificity: Cytoplasm, Exosome

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.1

Predicted Molecular Mass: 29.7kDa

Accurate Molecular Mass: 30kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

				HSTSRNINLG
PTGNPHAKPT	DFDFLKVIGK	GSFGKVLLAK	RKLDGKFYAV	KVLQKKIVLN
RKEQKHIMAE	RNVLLKNVKH	PFLVGLHYSF	QTTEKLYFVL	DFVNGGELFF
HLQRERSFPE	PRARFYAAEI	ASALGYLHSI	KIVYRDLKPE	NILLDSMGHV
VLTDGFLCKE	GIAISDTTIT	FCGTPEYLAP	EVIRKQPYDN	TVDWWCLGAV
LYEMLYGLPP	FYCRDVAE			

[IDENTIFICATION]




Figure. SDS-PAGE