

RPE916Mu01 10µg Recombinant Sirtuin 6 (SIRT6) Organism Species: *Mus musculus (Mouse)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Ser334

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Chromosome

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.9

Predicted Molecular Mass: 38.2kDa

Accurate Molecular Mass: 38kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in ddH_2O to a concentration of 0.1-0.2 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



MSVNYAAGLS PYADKGKCGL PEIFDPPEEL ERKVWELARL MWQSSSVVFH TGAGISTASG IPDFRGPHGV WTMEERGLAP KFDTTFENAR PSKTHMALVQ LERMGFLSFL VSQNVDGLHV RSGFPRDKLA ELHGNMFVEE CPKCKTQYVR DTVVGTMGLK ATGRLCTVAK TRGLRACRGE LRDTILDWED SLPDRDLMLA DEASRTADLS VTLGTSLQIR PSGNLPLATK RRGGRLVIVN LQPTKHDRQA DLRIHGYVDE VMCRLMKHLG LEIPAWDGPC VLDKALPPLP RPVALKAEPP VHLNGAVHVS YKSKPNSPIL HRPPKRVKTE AAPS

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.