

RPC868Mu01 50µg

Recombinant Sterol Regulatory Element Binding Transcription Factor 1 (SREBF1)

Organism Species: *Mus musculus* (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[**PROPERTIES**]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Pro158~Leu390

Tags: N-terminal His Tag

Subcellular Location: Membrane, Golgi apparatus, Endoplasmic reticulum lumen

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 10.2

Predicted Molecular Mass: 27.1kDa

Accurate Molecular Mass: 27kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

PVL GYSSLPSGFS GTLPGNTQQP PSSLPLAPAP GVLPTPALHT
QVQSLASQQP LPASAAPRTN TVTSQVQQVP VVLQPHFIKA DSLLLLTAVKT
DAGATVKTAG ISTLAPGTAV QAGPLQTLVS GGTILATVPL VVDTDKLPIH
RLAAGSKALG SAQSRGEKRT AHNAIEKRYR SSINDKIVEL KDLVVGTEAK
LNKSAVLRKA IDYIRFLQHS NQKLKQENLT LRSAHKSKSL

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.