

RPA638Po01 50µg

**Recombinant Visfatin (VF)** 

Organism Species: Sus scrofa; Porcine (Pig)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [ PROPERTIES ]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Met1~His491

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Secreted, Cytoplasm

**Purity:** > 80%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 150µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.2

Predicted Molecular Mass: 59.1kDa

**Accurate Molecular Mass:** 59kDa as determined by SDS-PAGE reducing conditions.

## [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]



MNAAAEAEFNILLATDSYKVTHYKQYPPNTSKVYSYFECREKKTENSKIRKVKYEETVFYGLQYILNKYLKGKVVTKEKIQEAKEVYK
EHFQDDVFNEKGWNYILEKYDGHLPIEVKAVPEGSVIPRGNVLFTVENTDPECYWLTNWIETILVQSWYPITVATNSREQKKILAKYL
LETSGNLDGLEYKLHDFGYRGVSSQETAGIGASAHLVNFKGTDTVAGIALIKKYYGTKDPVPGYSVPAAEHSTITAWGKDHEKDAFEH
IVTQFSSVPVSVVSDSYDIYNACEKIWGEDLRHLIVSRSTEAPLIIRPDSGNPLDTVLKVLDILGKKFPVTENSKGYKLLPPYLRVIQ
GDGVDINTLQEIVEGMKQKKWSIENIAFGSGGALLQKLTRDLLNCSFKCSYVVTNGLGINVFKDPVADPNKRSKKGRLSLHRTPGGNF
VTLEEGKGDLEEYGHDLLHTVFKNGKVTKSYSFDEVRKNAQLNIELEAAPH

# [ IDENTIFICATION ]




Figure. SDS-PAGE

### [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.