

RPP553Mu01 10µg Recombinant Wingless Type MMTV Integration Site Family, Member 10B (WNT10B) Organism Species: *Mus musculus (Mouse) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Cond-Clone Corp.

# [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Glu30~Pro322

Tags: N-terminal His Tag

Subcellular Location: Secreted, Extracellular matrix

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO<sub>3</sub>, 500mMNaCl, pH8.3, containing 0.01% SKL, 5%

Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.8

Predicted Molecular Mass: 36.1kDa

Accurate Molecular Mass: 36kDa as determined by SDS-PAGE reducing conditions.

#### [<u>USAGE</u>]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [<u>SEQUENCE</u>]

EILGLKLPGEPPLTANTVCLTLSGLSKRQLGLCLRSPDVTASALQGLHIAVHECQHQLRDQRWNCSALEGGGRLPHHSAILKRGFRESA FSFSMLAAGVMHAVATACSLGKLVSCGCGWKGSGEQDRLRAKLLQLQALSRGKTFPISQPSPVPGSVPSPGPQDTWEWGGCNHDMDFGE KFSRDFLDSREAPRDIQARMRIHNNRVGRQVVTENLKRKCKCHGTSGSCQFKTCWRAAPEFRAIGAALRERLSRAIFIDTHNRNSGAFQ PRLRPRRLSGELVYFEKSPDFCERDP

### [IDENTIFICATION]



#### Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.