

RPD148Ra01 100µg

Recombinant Cholinergic Receptor, Nicotinic, Alpha 10 (CHRNa10)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Ala25~Arg425

Tags: N-terminal His Tag

**Subcellular Location:** Membrane

**Purity:** > 80%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point: 8.5** 

Predicted Molecular Mass: 48.4kDa

**Accurate Molecular Mass:** 48kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



AEGRLA	HKLFRDLFAN	YTSALRPVAD	TDQTLNVTLE	VTLSQIIDMD	ERNQVLTLYL	WIRQEWTDAY
LHWDPKAYGD	LDAIRIPSRL	VWRPDIVLYN	KADTQPPASA	STNVVVRHDG	AVRWDAPAIT	RSSCRVDVSA
FPFDAQRCGL	TFGSWTHGGH	QLDVRPRGTS	ASLADFVENV	EWRVLGMPAR	RRVLTYGCCS	EPYPDVTFTL
LLRRRAAAYV	CNLLLPCVFI	SLLAPLAFHL	PADSGEKVSL	GVTVLLALTV	FQLILAESMP	PAESVPLIGK
YYMATMTMVT	FSTALTILIM	NLHYCGPNAH	PVPAWARVLL	LGHLAKGLCV	RERGEPCGQS	KPLESAPSLQ
PPPASPAGEC.	HEPROLOHOE	ALLHHIASIA	STERSHRAAQ	RRHEDWKRLA	RVMDR	

## [ IDENTIFICATION ]



## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.