

RPA108Ga01 10μg Recombinant Osteoprotegerin (OPG) Organism Species: *Chicken (Gallus) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Ile20~Val402 Tags: N-terminal His Tag Subcellular Location: Secreted Purity: > 80% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose. Original Concentration: 50µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 7.9

Predicted Molecular Mass: 47.5kDa

Accurate Molecular Mass: 50kDa as determined by SDS-PAGE reducing conditions.

### [<u>USAGE</u>]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.5 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [SEQUENCE]

# Control Cloud-Clone Corp.

IQDISPPKYLHYDPGTSHQVMCNQCPPGSYVKQHCTAASPTVCAPCPDQYYAEDWNSNDEC QYCSAVCKELQYIKQECTSTQDRVCECIEGWYLELEFCLKHTECPPGFGVAQPGTPESDTVCKS CPEGFFSNETSSKAVCQKHTNCSALGFKTALKGNAVRDNICQENTDTSPQKCGIDITLCEEAMFR FAVPTRFTPNWLNTLADNLPGTKISTENIERIKQRHSSQEQTFQLLKLWKQQNKEQDMVKKIIQ DIDHCENSVLKHLGQPNLTFEHLNTLMASLPGKKVGKEDIERTMKLCQHAEQVLKLLNLWRIK NGDQDTIKGLMYGLKHLKTYHFPKRIIQSLKKVIKFLHRFAMYRLYQKLFLEMVGSQLKSVKVRC V

## [IDENTIFICATION]



#### Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

## [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.