

RPD953Hu01 10µg

Recombinant Testicular Receptor 2 (TR2)

Organism Species: *Homo sapiens* (Human)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[**PROPERTIES**]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Met1~Phe324

Tags: N-terminal His Tag

Subcellular Location: Nucleus

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 150µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.5

Predicted Molecular Mass: 39.3kDa

Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

MATIEEIAHQ IIEQQMGEIV TEQQTGQKIQ IVTALDHNTQ GKQFILTNHD
GSTPSKVILA RQDSTPGKVF LTPDAAGVN QLFFTPDLS AQHLQLLTDN
SPDQGPKNVF DLCVVCGDKA SGRHYGAVTC EGCKGFFKRS IRKNLVYSCR
GSKDCIINKH HRNRCQYCRL QRCIAFGMKQ DSVQCERKPI EVSREKSSNC
AASTEKIYIR KDLRPLTAT PTFVTDSEST RSTGLLDSGM FMNIHPSGVK
TESAVLMTSD KAESCQGDLS TLANVVTSLA NLGKTKDLSQ NSNEMSMIES
LSNDDTSLCE FQEMQTNGDV SRAF

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.