

RPC908Mu04 100µg Recombinant Fibroblast Growth Factor 8, Androgen Induced (FGF8) Organism Species: *Mus musculus (Mouse) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

# [PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Gln23~Arg268 Tags: His and TrxA Taq Subcellular Location: Secreted Purity: > 95% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 11.0 Predicted Molecular Mass: 48.4kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE</u> ]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]



QVRSAAQKRGPGAGNPADTLGQGHEDRPFGQRSRAGKNFTNPAPNYPEEGSKEQRDSVLPKVTQRHVREQSLVTDQLSRRLIRTYQLY SRTSGKHVQVLANKRINAMAEDGDPFAKLIVETDTFGSRVRVRGAETGLYICMNKKGKLIAKSNGKGKDCVFTEIVLENNYTALQNAK YEGWYMAFTRKGRPRKGSKTRQHQREVHFMKRLPRGHHTTEQSLRFEFLNYPPFTRSLRGSQRTWAPEPR

## [IDENTIFICATION]




Figure. SDS-PAGE

### [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.